



## Quick Turn Semi Custom Sockets for 0.4mm Pitch Single & Dual Row QFN and DFN



- Ability to be adapted to any 0.4mm pitch QFN and DFN at no added cost.
- Ideal for all manual test applications, from engineering to burn-in.
- Small outline, modular design with individually replaceable, high performance spring probe contacts.
- With no NRE and exceedingly low pricing, this is the best value for your 0.4mm pitch testing.



### Contact Specifications:

<b>Contact Part#:</b>	KG1-030H-AR-1
<b>Working Length:</b>	2.75mm
<b>Total Compliance:</b>	0.5mm
<b>Contact Force:</b>	21g at working length
<b>Current Rating:</b>	1.5A Continuous
<b>DC Resistance:</b>	<80mOHM
<b>Self Inductance:</b>	0.87nH
<b>Bandwidth At:</b>	-1dB 1.1Ghz



CONTECH SOLUTIONS INC.

[www.contechsolutions.com](http://www.contechsolutions.com)

MADE IN:  
USA

MANUFACTURERS OF TEST &  
RELIABILITY INTERFACE PRODUCTS

TYPE: QUICK TURN SEMI CUSTOM SOCKETS

631 MONTAGUE AVENUE, SAN LEANDRO, CA 94577  
TEL.: 510.357.7900 FAX: 510.357.7600





